D.	wie Furene B.V	Revision nr. 1
Pu	ris Europe B.V.	Dated 05/06/2019
		First compilation
DI	JRD11-01 - D11	Printed on 11/07/2019
P	ווט - וט-ווטאנ	Page n. 1/11
	Safety Da	ta Sheet
	Garoty Da	
SECTION 1. Identification of the	substance/mixture a	and of the company/undertaking
1.1. Product identifier		
Code:	PURD11-01	
Product name	D11	
1.2. Relevant identified uses of the substand Intended use Not available	ce or mixture and uses advis	sed against
intended use Not available		
1.3. Details of the supplier of the safety data	a sheet	
Name	Puris Europe B.V.	
Full address District and Country	Duinweg 4b 5482VR Schijndel	
,	NL	
	Tel. (+31) 857 325 75	4
e-mail address of the competent person		
responsible for the Safety Data Sheet	fvboxmeer@puriseu	rope.eu
<b>1.4. Emergency telephone number</b> For urgent inquiries refer to	Tel. (+31) 857 325 75	4
SECTION 2. Hazards identificati	on	
2.1. Classification of the substance or mixture	Đ	
The product is classified as hazardous pursuar supplements). The product thus requires a safety Any additional information concerning the risks for	datasheet that complies with	
Hazard classification and indication:		
Serious eye damage, category 1	H318	Causes serious eye damage.
2.2. Label elements		
a.a. Eusoi olomonto		
Hazard labelling pursuant to EC Regulation 1272	2/2008 (CLP) and subsequent	amendments and supplements.
Hazard pictograms:		

# Puris Europe B.V.

PURD11-01 - D11

Revision nr. 1

Dated 05/06/2019

First compilation

Printed on 11/07/2019

Page n. 2/11



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing

**P280** Wear eye protection / face protection.

P310 Immediately call a POISON CENTER / doctor / . . .

Contains: Alcohols, C12-14, ethoxylated, sulfates, sodium salts

## 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

# **SECTION 3. Composition/information on ingredients**

## 3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

Alcohols, C12-14, ethoxylated,

sulfates, sodium salts

CAS 68891-38-3 5 ≤ x < 9 Eye Dam. 1 H318, Skin Irrit. 2 H315, Aquatic Chronic 3 H412

EC 500-234-8

INDEX -

Reg. no. 01-2119488639-16

The full wording of hazard (H) phrases is given in section 16 of the sheet.

# **SECTION 4. First aid measures**

## 4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

# Puris Europe B.V. Revision nr. 1 Dated 05/06/2019 First compilation Purd on 11/07/2019 Page n. 3/11

## 4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

### 4.3. Indication of any immediate medical attention and special treatment needed

Information not available

# **SECTION 5. Firefighting measures**

#### 5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

# 5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

### 5.3. Advice for firefighters

# GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6.** Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

## 6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

## 6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

# 6.4. Reference to other sections

# Puris Europe B.V. Revision nr. 1 Dated 05/06/2019 First compilation Printed on 11/07/2019 Page n. 4/11

Any information on personal protection and disposal is given in sections 8 and 13.

# **SECTION 7. Handling and storage**

#### 7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

## 7.3. Specific end use(s)

Information not available

# **SECTION 8. Exposure controls/personal protection**

### 8.1. Control parameters

Information not available

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

### HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

## SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

## EYE PROTECTION

Wear a hood visor or protective visor combined with airtight goggles (see standard EN 166).

# RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

# 

## **ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

# **SECTION 9. Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance liquid Colour Not available Not available Odour Odour threshold Not available рΗ Not available Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Not available Flash point **Evaporation Rate** Not available Flammability of solids and gases Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Not available Vapour pressure Not available Vapour density Relative density Not available Solubility Not available Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Not available Decomposition temperature Not available Viscosity Explosive properties Not available

# 9.2. Other information

Oxidising properties

Information not available

# **SECTION 10. Stability and reactivity**

## 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

Not available

# 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

# Puris Europe B.V. Revision nr. 1 Dated 05/06/2019 First compilation Purd on 11/07/2019 Page n. 6/11

## 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

### 10.5. Incompatible materials

Information not available

## 10.6. Hazardous decomposition products

Information not available

# **SECTION 11. Toxicological information**

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

# 11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

# ACUTE TOXICITY

LC50 (Inhalation) of the mixture:
Not classified (no significant component)
LD50 (Oral) of the mixture:
Not classified (no significant component)
LD50 (Dermal) of the mixture:
Not classified (no significant component)

# SKIN CORROSION / IRRITATION

# Puris Europe B.V. | Revision nr. 1 | | Dated 05/06/2019 | | First compilation | | Printed on 11/07/2019 | | Page n. 7/11 |

Does not meet the classification criteria for this hazard class

# SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

## RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

## GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

## CARCINOGENICITY

Does not meet the classification criteria for this hazard class

### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

## STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

# ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

# **SECTION 12. Ecological information**

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

## 12.1. Toxicity

Information not available

# 12.2. Persistence and degradability

Information not available

## 12.3. Bioaccumulative potential

Puris Europe B.V.	Revision nr. 1
i dilo Ediopo Biri	Dated 05/06/2019
	First compilation
PURD11-01 - D11	Printed on 11/07/2019
	Page n. 8/11
Information not available	
12.4. Mobility in soil	
Information not available	
12.5. Results of PBT and vPvB assessment	
On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.	
12.6. Other adverse effects	
Information not available	
CECTION 42 Dispessed considerations	
SECTION 13. Disposal considerations	
13.1. Waste treatment methods	
Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of was evaluated according to applicable regulations.  Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.  CONTAMINATED PACKAGING  Contaminated packaging must be recovered or disposed of in compliance with national waste management regulation	gulations.
SECTION 14. Transport information	
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods to the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA)	by Road (ADR) and by Rail (RID), of regulations.
14.1. UN number	
Not applicable	
14.2. UN proper shipping name	
Not applicable	
14.3. Transport hazard class(es)	
Not applicable	
14.4. Packing group	
Joseph	

Puris Europe B.V.	Revision nr. 1
	Dated 05/06/2019
	First compilation
PURD11-01 - D11	Printed on 11/07/2019
	Page n. 9/11
Not applicable	
то арриосия	
14.5. Environmental hazards	
Not applicable	
44.C. Curaial managedians for man	
14.6. Special precautions for user	
Not applicable	
14.7. Transport in bulk according to Annex II of Marpol and the IBC Code	
Information not relevant	
SECTION 15. Regulatory information	
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	
Seveso Category - Directive 2012/18/EC: None	
D. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006	
<u>Product</u>	
Point 3	
Substances in Candidate List (Art. 59 REACH)	
CONSTRUCTION OF THE CONTRACT O	
On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.	
Substances subject to authorisation (Annex XIV REACH)	
None	
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:	
None	
Substances subject to the Rotterdam Convention:	
None	
Substances subject to the Stockholm Convention:	
None	

# Revision nr. 1 Puris Europe B.V. Dated 05/06/2019 First compilation Printed on 11/07/2019 PURD11-01 - D11 Page n. 10/11

## Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

## 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

# **SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1 Serious eye damage, category 1

Skin Irrit. 2 Skin irritation, category 2

**Aquatic Chronic 3** Hazardous to the aquatic environment, chronic toxicity, category 3

H318 Causes serious eye damage.

H315 Causes skin irritation.

H412 Harmful to aquatic life with long lasting effects.

#### LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament